## For Research Use Only

## FANCL Polyclonal antibody

Catalog Number: 14454-1-AP

**Featured Product** 



**Basic Information** 

Catalog Number: GenBank Accession Number: 14454-1-AP BC054517 GeneID (NCBI): Size: 227 µg/ml 55120 **UNIPROT ID:** Source: Rabbit Q9NW38 Full Name:

Fanconi anemia, complementation

group L Immunogen Catalog Number:

AG6031 Calculated MW:

43 kDa Observed MW: 28 kDa

**Applications** 

**Tested Applications:** IHC, WB, ELISA Species Specificity: human, mouse, rat

Isotype:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: A549 cells, HEK-293 cells, HEK-cells, Hela cells,

**Purification Method:** 

WB 1:500-1:1000 IHC 1:20-1:200

Antigen affinity purification

Recommended Dilutions:

HepG2 cells

IHC: human kidney tissue, human lung cancer tissue

## **Background Information**

Fanconi anemia (FA) is a hereditary bone marrow failure syndrome associated with developmental defects and cancer predisposition. The FA nuclear core complex consists of FANCA, B, C, E, F, G, L, and M. FANCL is a RING-type E3 ubiquitin ligase that monoubiquitinates FANCD2 and FANCI, a key functional role facilitated by other members of the nuclear core complex (PMID: 23783032). FANCL plays an important role in the repair of cisplatin-induced DNA damage (PMID: 26385482) and participates directly in support of stem cell function (PMID: 23783032). FANCL can be detected as 40-43 kDa (full-length) and ~28 kDa.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




WB result of FANCL antibody (14454-1-AP; 1:200; incubated at room temperature for 1.5 hours) with sh-Control and sh-FANCL transfected HEK-293 cells.



A549 cells were subjected to SDS PAGE followed by western blot with 14454-1-AP (FANCL antibody) at dilution of 1:500 incubated at room temperature for 15 hours.



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 14454-1-AP (FANCL Antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 14454-1-AP (FANCL Antibody) at dilution of 1:50 (under 40x lens).