## For Research Use Only

## FBXO27 Polyclonal antibody

Catalog Number: 14570-1-AP

Featured Product

2 Publications

BC030060

126433

Q8NI29

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

F-box protein 27
Calculated MW:

GenBank Accession Number:



**Basic Information** 

Catalog Number: 14570-1-AP

Size: 500 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number: AG6157

157 32 kDa
Observed MW:

32 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

**Applications** 

Tested Applications: WB, IHC, IP, ELISA Cited Applications:

WB, IF

Species Specificity:

human
Cited Species:
human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: PANC-1 cells,
IP: PANC-1 cells,

IHC: human kidney tissue,

**Background Information** 

FBXO27 is a glycoprotein-specific F-box protein that is part of the SCF (SKP1/CUL1/F-box protein) ubiquitin ligase complex, and SCFFBXO27 ubiquitinates glycoproteins in damaged lysosomes will regulate autophagic machinery recruitment (PMID: 28743755). Unlike F-box proteins in other SCF complexes, FBXO27 is subject to N-myristoylation, which localizes it to membranes, allowing it to accumulate rapidly around damaged lysosomes.

**Notable Publications** 

Author	Pubmed ID	Journal	Application
Yukiko Yoshida	28743755	Proc Natl Acad Sci U S A	WB,IF
Chang Woo Chae	37357416	Autophagy	WB,IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




IP result of anti-FBXO 27 (IP:14570-1-AP, 4ug; Detection:14570-1-AP 1:600) with PANC-1 cells lysate 1330 ug.



FBXO 27 expression in cells. Each whole cell lysate containing 15 ug protein was analyzed by immunoblotting using FBXO 27 (14570-1-AP: 1:2000). Knock-down experiment confirmed that the pointed band showed FBXO 27. (Data from Dr. Yukiko Yoshida, Ubiquitin Project, Tokyo Metropolitan Institute of Medical Science.).



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 14570-1-AP (FBXO27 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 14570-1-AP (FBXO27 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).