For Research Use Only

PPM1K Polyclonal antibody Catalog Number:14573-1-AP Featured Product 6

Featured Product 6 Publications




Basic Information	Catalog Number: 14573-1-AP	GenBank Accession Number: BC037552	Purification Method: Antigen affinity purification	
	Size: 1000 µ g/ml	GenelD (NCBI):	Recommended Dilutions: WB 1:500-1:1000	
	Source: Rabbit	152926 UNIPROT ID:	IHC 1:20-1:200	
		Q8N3J5	Q8N3J5	
	Isotype: IgG Immunogen Catalog Number: AG5660	Full Name: protein phosphatase 1K (PP2C domain containing)		
		Calculated MW: 41 kDa		
		Observed MW: 30-40 kDa		
Applications	Tested Applications: WB, IHC, ELISA	Positive Controls:		
	Cited Applications: WB, IF	WB : human brain tissue, human heart tissue IHC : human gliomas tissue,		
	Species Specificity: human, mouse, rat			
	Cited Species: human, mouse, rat			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	Protein phosphatase, Mg2+/Mn2+ dependent 1K (PPM1K), is a member of the PPM family of Mn2+/Mg2+-dependent protein phosphatases. PPMiK, essential for cell survival and development, is targeted to the mitochondria where it plays a key role in regulation of the mitochondrial permeability transition pore.PPM1K is essential for the regulation and nutrient-induced activation of the branched-chain alpha-keto acid dehydrogenase complex (BCKD o BCKDC), which catalyzes the breakdown of branched-chain amino acids (BCAA).			
	Author	Pubmed ID Journal	Application	
Notable Publications	Yang Yang	34084135 Front Pharmaco	L WB	
Notable Publications				
Notable Publications		30050148 Nat Commun	WB,IF	
Notable Publications	Dan Shao	30050148 Nat Commun 34474107 Free Radic Biol		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





human brain tissue were subjected to SDS PAGE followed by western blot with 14573-1-AP (PPM1K antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human gliomas using 14573-1-AP (PPM1K antibody) at dilution of 1:50 (under 10x lens).

Immunohistochemical analysis of paraffinembedded human gliomas using 14573-1-AP (PPM1K antibody) at dilution of 1:50 (under 40x lens).