## For Research Use Only

## HMG20B Polyclonal antibody

Catalog Number:14582-1-AP

Featured Product

4 Publications




14582-1-AP Size:	BC002552		Antigen affinity purification
JIZC.	GenelD (NCBI):		Recommended Dilutions:
500 µg/ml	10362		WB 1:500-1:1000
Source:	Source:UNIPROT ID:RabbitQ9P0W2Isotype:Full Name:IgGhigh-mobility group 20B		IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:20-1:200 IF/ICC 1:50-1:500
Immunogen Catalog Number: AG6103	Calculated MW: 36 kDa		
	Observed MW: 36 kDa		
Tested Applications: Positive Controls:			
	Cited Applications:		S,
WB, ChIP		IP: HeLa cells,	
Species Specificity:			olon cancer tissue,
human, mouse, rat		IF/ICC : HeLa	cells,
Lited Species: human, mouse			
TE buffer pH 9.0; (*) Altern	natively, antigen		
was first identified as a regulato [PMID:10449787]. The CoREST co 21-nucleotide RE-1 sequence in t [PMID:15240883]. HMGB20B is or	r of neuronal gene express omplex is recruited by REST the promoter of more than the component of the CoRES	ion, having a ess ſ (RE1-silencing 1,700 different ta ſT complex, whic	sential role in neuronal differentiati transcription factor) that recognizes arget genes in human and mouse ch mediates chromatin remodeling
Author	Pubmed ID Journ	nal	Application
Esteghamat Fatemehsadat F		natologica	ChIP
Lukas Leiendecker		-	WB
Roberto Ravasio	32284990 Sci A	dv	WB
Storage Buffer: PBS with 0.02% sodium azide an	d 50% glycerol pH 7.3.		
	Rabbit Isotype: IgG Immunogen Catalog Number: AG6103 Tested Applications: WB, IHC, IF/ICC, IP, ELISA Cited Applications: WB, ChIP Species Specificity: human, mouse, rat Cited Species: human, mouse Note-IHC: suggested antigu TE buffer pH 9.0; (*) Altern retrieval may be performe buffer pH 6.0 CoREST (corepressor of repressor was first identified as a regulato [PMID:10449787]. The CoREST cc 21-nucleotide RE-1 sequence in t [PMID:15240883]. HMGB20B is or repression of specific genes invoo [PMID:19997604]. Author Esteghamat Fatemehsadat F Lukas Leiendecker Roberto Ravasio Storage: Stora at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide an	Rabbit Q9P0W2   Isotype: Full Name:   IgG high-mobility group   Immunogen Catalog Number: Calculated MW:   AG6103 36 kDa   Observed MW: 36 kDa   Species Applications: WB, IHC, IF/ICC, IP, ELISA   Cited Applications: WB, ChIP   Species Specificity: human, mouse, rat   Cited Species: human, mouse   Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0   CoREST (corepressor of repressor element-1-silencing trans was first identified as a regulator of neuronal gene expresss [PMID:10449787]. The CoREST complex is recruited by REST 21-nucleotide RE-1 sequence in the promoter of more than [PMID:15240883]. HMGB20B is one component of the CoREST repression of specific genes involved in neuronal differenti [PMID:19997604].   Author Pubmed ID Journ Esteghamat Fatemehsadat F   Lukas Leiendecker 33026191 EMB0   Roberto Ravasio 32284990 Sci A	Rabbit Q9P0W2   Isotype: Full Name:   IgG high-mobility group 20B   Immunogen Catalog Number: Calculated MW:   AG6103 36 kDa   Observed MW: 36 kDa   Observed MW: 36 kDa   WB, IHC, IF/ICC, IP, EUSA WB: HeLa cells   Cited Applications: IP: HeLa cells   WB, ChIP IHC: humanc   buman, mouse, rat IF/ICC : HeLa   Cited Species: human, mouse   Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0   CoREST (corepressor of repressor element-1-silencing transcription factor) i was first identified as a regulator of neuronal gene expression, having a ess [PMID:10449787]. The CoREST complex is recruited by REST (RE1-silencing transcription factor) i usa first identified as a regulator of neuronal differentiation through m [PMID:15240883]. HMGB20B is one component of the CoREST complex, whic repression of specific genes involved in neuronal differentiation through m [PMID:19997604].   Author Pubmed ID Journal   Esteghamat Fatemehsadat F 21606163 Haematologica   Lukas Leiendecker 33026191 EMBO Mol Med   Roberto Ravasio 32284990 Sci Adv   <


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data




HeLa cells were subjected to SDS PAGE followed by western blot with 14582-1-AP (HMG20B antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.




WB result of HMG20B antibody (14582-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-HMG20B transfected HeLa cells.




Immunohistochemical analysis of paraffinembedded human colon cancer using 14582-1-AP (HMG20B antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human colon cancer using 14582-1-AP (HMG20B antibody) at dilution of 1:50 (under 40x lens).



IP result of anti-HMG20B (IP:14582-1-AP, 4ug; Detection:14582-1-AP 1:800) with HeLa cells lysate 1200ug.



Immunofluorescent analysis of (10% Formaldehyde) fixed HeLa cells using 14582-1-AP (HMG20B antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).