For Research Use Only

UCHL1/PGP9.5 Polyclonal antibody

Catalog Number: 14730-1-AP

Featured Product

100 Publications

BC000332

GeneID (NCBI):

UNIPROT ID:

Calculated MW: 25 kDa Observed MW: 27 kDa

P09936 Full Name:

GenBank Accession Number:

ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)



Basic Information

Applications

Catalog Number: 14730-1-AP Size: 500 μg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG6490

Tested Applications:

FC, IF/ICC, IF-P, WB, ELISA

Cited Applications: CoIP, ELISA, IF, IHC, WB Species Specificity:

human, mouse, rat Cited Species:

human, rat, mouse, monkey, pig, Non-human primate,

canine

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:5000-1:50000

IF 1:200-1:800

Positive Controls:

WB: A549 cells, NCI-H1299 cells, SH-SY5Y cells, Neuro-2a cells, C6 cells, mouse brain tissue, rat brain tissue

IF: A549 cells, mouse brain tissue

Background Information

UCHL1(Ubiquitin carboxyl-terminal hydrolase isozyme L1) is a member of a gene family whose products hydrolyze small C-terminal adducts of ubiquitin to generate the ubiquitin monomer. Expression of UCHL1 is highly specific to neurons and to cells of the diffuse neuroendocrine system and their tumors. It is present in all neurons (PMID: 6343558). This protein is present in brain at concentrations at least 50 times greater than in other organs and is a major protein component of neuronal cytoplasm (PMID:7217993). And UCHL1 is a Parkinson's disease susceptibility gene (PMID:15048890).

Notable Publications

Author	Pubmed ID	Journal	Application
Wisam Toma	36096180	Exp Neurol	IHC
Matthew Bratkowski	36087583	Neuron	IF
Haochen Jiang	28918935	Cell Metab	WB,IF

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 14730-1-AP (UCHL1/PGP9.5 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed A549 cells using UCHL1/PGP9.5 antibody (14730-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 C6 cells were intracellularly stained with 0.4 ug Anti-Human UCHL1/PGP9.5 (14730-1-AP) and Coralite@488-Conjugated AffiniPure Goat Anti-Rabbit I gG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).