

For Research Use Only

OSBPL2 Polyclonal antibody

Catalog Number: 14751-1-AP

Featured Product

10 Publications



Basic Information

Catalog Number:

14751-1-AP

Size:

300 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG6496

GenBank Accession Number:

BC000296

GeneID (NCBI):

9885

UNIPROT ID:

Q9H1P3

Full Name:

oxysterol binding protein-like 2

Calculated MW:

55 kDa

Observed MW:

51 kDa, 56 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:8000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

IF-P 1:200-1:800

Applications

Tested Applications:

WB, IHC, IF-P, IP, ELISA

Cited Applications:

WB, IF, ChIP

Species Specificity:

human, mouse

Cited Species:

human, mouse

Positive Controls:

WB : HeLa cells, A549 cells, HuH-7 cells, mouse brain tissue, HepG2 cells

IP : HeLa cells,

IHC : human ovary cancer tissue,

IF-P : mouse brain tissue,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Flora Cozzolino	32886703	PLoS One	WB
Tamara Escajadillo	26992564	Mol Cell Endocrinol	IF, ChIP
Young Ik Koh	35253614	Autophagy	WB, IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14751-1-AP (OSBPL2 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




A549 cells were subjected to SDS PAGE followed by western blot with 14751-1-AP (OSBPL2 Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-OSBPL2 (IP:14751-1-AP, 4ug; Detection:14751-1-AP 1:500) with HeLa cells lysate 880ug.



Immunohistochemical analysis of paraffin-embedded human ovary cancer tissue slide using 14751-1-AP (OSBPL2 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse brain tissue using OSBPL2 antibody (14751-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).