

For Research Use Only

GLYR1 Polyclonal antibody

Catalog Number: 14833-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number:

14833-1-AP

Size:

450 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG6637

GenBank Accession Number:

BC064940

GeneID (NCBI):

84656

UNIPROT ID:

Q49A26

Full Name:

cytokine-like nuclear factor n-pac

Calculated MW:

61 kDa

Observed MW:

60 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:5000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

IF/ICC 1:10-1:100

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, IHC, IF, CoIP, ChIP

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HL-60 cells, HeLa cells, Jurkat cells

IP : K-562 cells,

IHC : mouse testis tissue, human liver cancer tissue, human colon tissue

IF/ICC : HeLa cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Zhiyan Hu	32370786	J Exp Clin Cancer Res	WB, IHC, CoIP, IF
Sue Yu	33676077	Genomics Proteomics Bioinformatics	ChIP, WB
Barbara Gonzalez-Teran	35182466	Cell	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14833-1-AP (GLYR1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 14833-1-AP (GLYR1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 14833-1-AP (GLYR1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of HeLa cells, using N-PAC antibody 14833-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP result of anti-GLYR1 (IP:14833-1-AP, 4ug; Detection:14833-1-AP 1:500) with K-562 cells lysate 3200ug.