

For Research Use Only

NARS Polyclonal antibody

Catalog Number: 14882-1-AP **1 Publications**



Basic Information

Catalog Number: 14882-1-AP	GenBank Accession Number: BC001687	Purification Method: Antigen affinity purification
Size: 350 µg/ml	GeneID (NCBI): 4677	Recommended Dilutions: WB 1:500-1:2000
Source: Rabbit	UNIPROT ID: O43776	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate
Isotype: IgG	Full Name: asparaginyl-tRNA synthetase	IHC 1:50-1:500
Immunogen Catalog Number: AG6656	Calculated MW: 63 kDa	
	Observed MW: 63 kDa	

Applications

Tested Applications: IHC, IP, WB, ELISA	Positive Controls: WB : K-562 cells, HepG2 cells
Cited Applications: WB	IP : HepG2 cells,
Species Specificity: human	IHC : human liver cancer tissue,
Cited Species: human	

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Asparagine-tRNA ligase (NARS) belongs to the class-II aminoacyl-tRNA synthetase family. Catalyzes the attachment of asparagine to tRNA(Asn) in a two-step reaction: asparagine is first activated by ATP to form Asn-AMP and then transferred to the acceptor end of tRNA(Asn) (PubMed: 9421509). In addition to its essential role in protein synthesis, acts as a signaling molecule that induced migration of CCR3-expressing cells. The NARS levels were higher in tumor tissues compared with adjacent normal tissues, and positively associated with LN metastasis. NARS may serve as a potential biomarker for lung adenocarcinoma (ADC) diagnosis/prognosis (PMID: 27161446).

Notable Publications

Author	Pubmed ID	Journal	Application
Mirjana Malnar Črnigoj	37717009	Nat Commun	WB


Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



K-562 cells were subjected to SDS PAGE followed by western blot with 14882-1-AP (NARS antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 14882-1-AP (NARS antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-NARS (IP:14882-1-AP, 4ug; Detection:14882-1-AP 1:500) with HepG2 cells lysate 4000ug.