### For Research Use Only

# GRP75 Polyclonal antibody

Catalog Number: 14887-1-AP

Featured Product

55 Publications

BC000478

3313

GeneID (NCBI):

GenBank Accession Number:



**Basic Information** 

Catalog Number: 14887-1-AP Source: Rabbit

**UNIPROT ID:** Isotype: IgG P38646 Full Name:

Immunogen Catalog Number: AG6673

heat shock 70kDa protein 9 (mortalin) FC (Intra): 0.20 ug per 10^6 cells in a Calculated MW:

> 74 kDa Observed MW: 70-75 kDa

**Purification Method:** 

Antigen affinity purification Recommended Dilutions:

WB: 1:5000-1:50000 IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:2000-1:8000 IF/ICC: 1:200-1:800

100 µl suspension

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, FC (Intra), IP, ELISA

Cited Applications: WB, IHC, IF, IP, CoIP Species Specificity: human, mouse, rat, zebrafish

**Cited Species:** 

human, mouse, rat, chicken, zebrafish

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HT-29 cells, A549 cells, mouse testis tissue, Jurkat

cells, NIH/3T3 cells, mouse liver IP: mouse brain tissue, NIH/3T3 cells

IHC: human normal colon, IF/ICC: HepG2 cells, FC (Intra): HepG2 cells,

# **Background Information**

GRP75 (also known as mortalin, HSPA9 or mt-Hsp70) is a constitutively expressed member of the HSPA (HSP70) family of heat-shock proteins. It is located in the mitochondrial matrix and anti-GRP75 is commonly used as the marker for mitochondria. It has been reported that GRP75 is enriched in cancer cells and contributes to carcinogenesis. In addition, decreased expression level of GRP75 has been found in neurodegenerative disorders like Parkinson's disease. This antibody recognized the endogenous GRP75 protein in NIH/3T3 cells. (PMID: 21640711, 22920904)

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Olga Zurita Rendón	30061372	Mol Cell Biol	
Chih-Hao Wang	36158195	Front Cell Dev Biol	WB,IP
Jing Feng	29375708	Oncol Lett	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 14887-1-AP (GRP75 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.




A549 cells (shcontrol and shRNA of GRP75)were subjected to SDS PAGE followed by western blot with 14887-1-AP (GRP75 antibody) at dilution of 1:500.




Immunohistochemical analysis of paraffinembedded human normal colon slide using 14887-1-AP (GRP75 antibody) at dilution of 1:4000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using GRP75 antibody (14887-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



IP result of anti-GRP75 (IP:14887-1-AP, 4ug; Detection:14887-1-AP 1:2000) with mouse brain tissue lysate 3680ug.



1x10^6 HepG2 cells were intracellularly stained with 0.2 ug GRP75 Polyclonal antibody (14887-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) (SA00013-2)(red), or 0.2 ug rabbit 1gG isotype control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer.