

For Research Use Only

THUMPD1 Polyclonal antibody

Catalog Number: 14921-1-AP

3 Publications



Basic Information

Catalog Number:

14921-1-AP

Size:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG6739

GenBank Accession Number:

BC000448

GeneID (NCBI):

55623

UNIPROT ID:

Q9NXG2

Full Name:

THUMP domain containing 1

Calculated MW:

39 kDa

Observed MW:

49 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:10000

IHC 1:50-1:500

IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, K-562 cells, MCF-7 cells

IHC : human breast cancer tissue,

IF/ICC : MCF-7 cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Kuangxun Li	34762107	Biosci Rep	IF
Qin Yan	38879723	Cell Death Differ	WB
Hui Han	38487015	iScience	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 14921-1-AP (THUMPDP1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 14921-1-AP (THUMPDP1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (10% Formaldehyde) fixed MCF-7 cells using 14921-1-AP (THUMPDP1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).