## For Research Use Only

## GCDH Polyclonal antibody

Catalog Number: 14930-1-AP

4 Publications



**Purification Method:** 

WB 1:500-1:3000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

**Basic Information** 

Catalog Number: GenBank Accession Number: 14930-1-AP BC002579
Size: GeneID (NCBI): 400 µ g/ml 2639
Source: UNIPROT ID: Rabbit Q92947

glutaryl-Coenzyme A dehydrogenase

Positive Controls:

WB: HepG2 cells, SH-SY5Y cells

IHC: human liver tissue,

Immunogen Catalog Number:

AG6713

48 kDa Observed MW: 44-48 kDa

Calculated MW:

Full Name:

**Applications** 

Tested Applications: IHC, WB, ELISA Cited Applications:

WB

Isotype:

Species Specificity:

human
Cited Species:
human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

GCDH is a nuclear-encoded mitochondrial protein involved in the catabolic pathway of tryptophan, lysine and hydroxylysine. The functional enzyme is a homotetramer of 43.3 kDa subunits that resides in the mitochondrial matrix. GCDH activity reduction leads to predominant accumulation of glutaric (GA) and 3- hydroxyglutaric (3HGA) acids in tissues, mostly brain, and biological fluids of affected patients. GCDH is widely expressed and has the highest levels in liver and kidney, which is consistent with its role in amino acid oxidation. (PMID: 27984186, 33001399)

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Gao Jinzhi J	23658800	PLoS One	WB
Curtis C Hughey	30850319	Mol Metab	WB
Aoao Wang	36618918	Front Pharmacol	WB

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 14930-1-AP (GCDH antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 14930-1-AP (GCDH antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 14930-1-AP (GCDH antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).