

For Research Use Only

TPPP3 Polyclonal antibody, PBS Only

Catalog Number: 15057-1-PBS

Featured Product



Basic Information

Catalog Number:

15057-1-PBS

Concentration:

1 mg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG7040

GenBank Accession Number:

BC000691

GeneID (NCBI):

51673

UNIPROT ID:

Q9BW30

Full Name:

tubulin polymerization-promoting protein family member 3

Calculated MW:

19 kDa

Observed MW:

19-20 kDa

Purification Method:

Antigen affinity purification

Applications

Tested Applications:

WB, IHC, Indirect ELISA

Species Specificity:

human, mouse, rat

Background Information

TPPP3 (tubulin polymerization promoting protein 3), also named as TPPP/p20, is a new member of the TPPP family which binds tubulin and induces tubulin polymerization and microtubule bundling. TPPP3 has been shown to play an important role in cell proliferation and may be implicated in tumorigenesis and metastasis (19633818). TPPP3 was also identified as specific marker for the connective tissues that envelope tendons due to its distinct expression in the developing tendon sheath (19235716). This antibody detects the 19-20 kDa TPPP3 in HeLa and PC-3 cells. The non-specific bands between 40 and 60 kDa were also occasionally observed.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



WB result of anti-TPPP3 (15057-1-AP, 1:500) with HEK-293 cells (siRNA transfected with) by Dr. Yupeng Chen. (Negative control or TPPP3 specific siRNAs were transfected into HEK-293 cells with the final concentration of 20 nM. Forty eight hours after transfection, cells were lysed with RIPA buffer and subjected to SDS PAGE). This data was developed using the same antibody clone with 15057-1-PBS in a different storage buffer formulation.



PC-3 cells were subjected to SDS PAGE followed by western blot with 15057-1-AP (TPPP3 antibody) at dilution of 1:100 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 15057-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human stomach cancer tissue slide using 15057-1-AP (TPPP3 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 15057-1-PBS in a different storage buffer formulation.