

For Research Use Only

HYAL2 Polyclonal antibody

Catalog Number: 15115-1-AP

Featured Product

6 Publications



Basic Information

Catalog Number:

15115-1-AP

Concentration:

627 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG7157

GenBank Accession Number:

BC000692

GeneID (NCBI):

8692

UNIPROT ID:

Q12891

Full Name:

hyaluronoglucosaminidase 2

Calculated MW:

54 kDa

Observed MW:

54-60 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IHC 1:50-1:500

IF/ICC 1:10-1:100

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : mouse heart tissue, HeLa cells, Raji cells, mouse liver tissue

IHC : human lung cancer tissue,

IF/ICC : HeLa cells,

Background Information

Hyaluronic acid (HA) is a glycosaminoglycan that is believed to have numerous important biologic functions, including modulation of cell proliferation, migration, and differentiation, as well as the regulation of extracellular water and protein homeostasis. It is also an integral structural component of cartilage and other tissues and acts as a lubricant in joints. Hyaluronidases are a family of enzymes that catalyse the degradation of HA. In humans, there are five functional hyaluronidases: HYAL1, HYAL2, HYAL3, HYAL4 and HYAL5 (also known as SPAM1 or PH-20); plus a pseudogene, HYAL6 (also known as HYALP1). HYAL2 is present in many tissues except the adult brain (PMID: 11731268). HYAL2 can be exposed to cell surfaces that bind to the plasma membrane via GPI anchors (PMID: 11731268).

Notable Publications

Author	Pubmed ID	Journal	Application
James Fasham	34906488	Genet Med	WB,IF
Martina M A Muggenthaler	28081210	PLoS Genet	WB
Keiichi Hiramoto	32860472	Dermatol Ther	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 15115-1-AP (HYAL2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of HeLa cells, using HYAL2 antibody 15115-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 15115-1-AP (HYAL2 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human lung cancer tissue slide using 15115-1-AP (HYAL2 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).