

For Research Use Only

ADSL Polyclonal antibody

Catalog Number: 15264-1-AP

4 Publications



Basic Information

Catalog Number:

15264-1-AP

Size:

350 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG7332

GenBank Accession Number:

BC000253

GeneID (NCBI):

158

UNIPROT ID:

P30566

Full Name:

adenylosuccinate lyase

Calculated MW:

55 kDa

Observed MW:

55 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:6000

IHC 1:20-1:200

IF/ICC 1:200-1:800

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), ELISA

Cited Applications:

WB, IHC

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, HepG2 cells, NIH/3T3 cells, RAW264.7 cells

IHC : human liver cancer tissue,

IF/ICC : HeLa cells,

Background Information

ADSL (adenylosuccinate lyase) is also named as AMPS, ASase, ASL and belongs to the lyase 1 family. It is an enzyme involved in 2 pathways of purine nucleotide metabolism and catalyzes cleavage of succinyl groups to yield fumarate (PMID:18524658). Defects in ADSL are the cause of adenylosuccinate deficiency (ADSL deficiency). In humans, mutations in ADSL lead to an inborn error of metabolism originally characterized by developmental delay, often with autistic features (PMID:20884265). The ADSL enzymatic activity is reduced in lymphocytes and red blood cells of the patient with severe psychomotor retardation (PMID:9545543). It has 2 isoforms produced by alternative splicing.

Notable Publications

Author	Pubmed ID	Journal	Application
Eunus S Ali	32485148	Mol Cell	WB
Xiaoting Chen	33869182	Front Cell Dev Biol	WB, IHC
Diem H Tran	38823389	Cell	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 15264-1-AP (Adenylosuccinate lyase antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human liver cancer using 15264-1-AP (Adenylosuccinate lyase antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human liver cancer using 15264-1-AP (Adenylosuccinate lyase antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using Adenylosuccinate lyase antibody (15264-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



1x10⁶ HeLa cells were intracellularly stained with 0.25 ug Adenylosuccinate lyase Polyclonal antibody (15264-1-AP) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2) (red), or 0.25 ug Rabbit IgG control Rabbit PolyAb (30000-O-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).