

For Research Use Only

COX8A Polyclonal antibody

Catalog Number: 15368-1-AP

5 Publications



Basic Information

Catalog Number:

15368-1-AP

Concentration:

250 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG2885

GenBank Accession Number:

BC063025

GeneID (NCBI):

1351

UNIPROT ID:

P10176

Full Name:

cytochrome c oxidase subunit 8A
(ubiquitous)

Calculated MW:

8 kDa

Observed MW:

8 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000

IHC 1:20-1:200

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, rat

**Note-IHC: suggested antigen retrieval with
TE buffer pH 9.0; (*) Alternatively, antigen
retrieval may be performed with citrate
buffer pH 6.0**

Positive Controls:

WB : mouse skeletal muscle tissue, human skeletal
muscle tissue

IHC : human heart tissue, human hepatocirrhosis
tissue, rat heart tissue

Background Information

COX8A(Cytochrome c oxidase subunit 8A) is also named as COX8, COX8L and belongs to the cytochrome c oxidase VIII family. This protein is one of the nuclear-coded polypeptide chains of cytochrome c oxidase, the terminal oxidase in mitochondrial electron transport. The gene encodes a full length protein of 8 kDa with a transit peptide of 25 amino acid.

Notable Publications

Author	Pubmed ID	Journal	Application
Weicheng Wu	30237463	Cell Death Dis	WB
Ami Kobayashi	36697396	Nat Commun	WB
Kexiong Liu	39892609	J Adv Res	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




mouse skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 15368-1-AP (COX8A antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human heart using 15368-1-AP (COX8A antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human heart using 15368-1-AP (COX8A antibody) at dilution of 1:100 (under 40x lens).



Immunohistochemical analysis of paraffin-embedded rat heart tissue slide using 15368-1-AP (COX8A antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded rat heart tissue slide using 15368-1-AP (COX8A antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).