For Research Use Only

Alpha Galactosidase A Polyclonal antibody

Catalog Number: 15428-1-AP

Featured Product

3 Publications

BC002689

2717

GeneID (NCBI):

GenBank Accession Number:



Basic Information

Catalog Number: 15428-1-AP Size: 450 µg/ml

Source: UNIPROT ID:
Rabbit P06280

Isotype: Full Name:
IgG galactosidase, alpha

Immunogen Catalog Number: AG7609

7609 49 kDa

Observed MW: 46-50 kDa

Calculated MW:

Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:500-1:3000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:250-1:1000

Applications

Tested Applications: WB, IP, IHC, ELISA Cited Applications: WB, IHC, IF

Species Specificity: human, rat Cited Species: human, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: MCF-7 cells, HEK-293 cells, HeLa cells

IP: HEK-293 cells,

IHC: human liver cancer tissue, human liver tissue,

mouse liver tissue

Background Information

GLA (Alpha-galactosidase A), also named as Melibiase or Agalsidase, belongs to the glycosyl hydrolase 27 family. It catalyzes the hydrolysis of terminal, non-reducing alpha-D-galactose residues in alpha-D-galactosides, including galactose oligosaccharides, galactomannans and galactolipids. The deficient activity of GLA can cause Fabry disease which is an X-linked inborn error of glycosphingolipid metabolis (PMID: 19287194). Enzyme replacement therapy (ERT) with GLA is currently the most effective therapeutic strategy for patients with Fabry disease (PMID: 20398385). In humans, GLA is synthesized as a 50 kDa precursor, which is further processed to a 46 kDa mature form of the protein (PMID: 9883849, 19387866). It also has a homodimer form with the molecular mass of 110 kDa (PMID: 17287429).

Notable Publications

| Author | Pubmed ID | Journal | Application |
|------------------------|-----------|----------------------|-------------|
| Joaquin Seras-Franzoso | 33738082 | J Extracell Vesicles | WB,IHC |
| Wladimir Mauhin | 30064518 | Orphanet J Rare Dis | |
| Yang Liu | 39221659 | Adv Mater | IF |

Storage

Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.co

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



WB result of GLA antibody (15428-1-AP, 1:600) with si-Control and si-GLA transfected HEK293 cells..




MCF-7 cells were subjected to SDS PAGE followed by western blot with 15428-1-AP (Alpha galactosidase A antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



IP result of anti-Alpha Galactosidase A (IP:15428-1-AP, 3ug; Detection:15428-1-AP 1:1000) with HEK-293 cells lysate 1800ug.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15428-1-AP (Alpha galactosidase A antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 15428-1-AP (Alpha galactosidase A antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).