## For Research Use Only

# VPS28 Polyclonal antibody

Catalog Number: 15478-1-AP

**Featured Product** 

**5 Publications** 



**Basic Information** 

**Applications** 

Catalog Number: 15478-1-AP Size: 500 μg/ml

Source:

Rabbit Isotype:

Immunogen Catalog Number:

AG7784

**Tested Applications:** 

WB, IF/ICC, IP, ELISA

Cited Applications:

Species Specificity: human, mouse, rat Cited Species: human

GenBank Accession Number:

BC006485 GeneID (NCBI): 51160 **UNIPROT ID:** Q9UK41

vacuolar protein sorting 28 homolog (S. cerevisiae)

Calculated MW: 25 kDa Observed MW: 28-30 kDa

Full Name:

Positive Controls:

WB: mouse brain tissue, Jurkat cells, rat brain tissue

**Purification Method:** 

WB 1:500-1:1000

IF/ICC 1:50-1:500

protein lysate

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

IP: mouse brain tissue, IF/ICC: HepG2 cells,

# Background Information

VPS28 is a subunit of the ESCRT-I complex (endosomal sorting complex I required for transport), which functions in the transport and sorting of proteins into subcellular vesicles. The ESCRT-I complex is composed of VPS23 (also known as TSG101), VPS28, VPS37, and MVB12A or MVB12B. VPS28 interacts with VPS23. Two alternative transcripts encoding different VPS28 isoforms have been described.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Xiaohua Dong	35330682	iScience	WB,IF
Chiara Merigliano	34449766	PLoS Genet	IF
Yu-Chan Chang	38939899	J Extracell Biol	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**



mouse brain tissue were subjected to SDS PAGE followed by western blot with 15478-1-AP (VPS28 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



IP result of anti-VPS28 (IP:15478-1-AP, 4ug; Detection:15478-1-AP 1:500) with mouse brain tissue lysate 4400ug.



Immun of luorescent analysis of HepG2 cells using 15478-1-AP (VPS28 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Affini Pure Goat Anti-Rabbit IgG(H+L).