### For Research Use Only

# Flotillin 1 Polyclonal antibody

Catalog Number: 15571-1-AP

Featured Product

52 Publications



**Basic Information** 

 Catalog Number:
 GenBank Accession Number:

 15571-1-AP
 BC001146

 Size:
 GeneID (NCBI):

 500 ug/ml
 10211

 Source:
 UNIPROT ID:

 Rabbit
 075955

Rabbit 075955

Isotype: Full Name: flotillin 1

Immunogen Catalog Number: Calculated MW:

AG7902 47 kDa

Observed MW: 47 kDa Purification Method:

Antigen affinity purification Recommended Dilutions:

WB 1:2000-1:10000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:200-1:800

**Applications** 

Tested Applications: WB, IHC, IP, ELISA Cited Applications: WB, IHC, IF, IP, CoIP Species Specificity: human, mouse, rat Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: mouse brain tissue, U-251 cells, mouse heart tissue, rat brain tissue, rat heart tissue, U-87 MG cells

IP: mouse brain tissue,
IHC: human stomach tissue,

# Background Information

Flotillins are membrane-associated proteins that contain two homologous isoforms, flotillin 1 (FLOT1) and flotillin 2 (FLOT2). They are highly conserved and widely expressed proteins commonly used as lipid raft markers. Flotillins are involved in various signaling pathways, cell adhesion, membrane trafficking and axonal growth.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Xue Zou	33002418	Mol Ther	WB
Jasjot Singh	36266287	Nat Commun	WB,CoIP
Robert W Hu	33134491	Transplant Direct	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 15571-1-AP (Flotillin 1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



IP result of anti-Flotillin 1 (IP:15571-1-AP, 4ug; Detection:15571-1-AP 1:500) with mouse brain tissue lysate 4400ug.



Immunohistochemical analysis of paraffinembedded human normal stomach slide using 15571-1-AP (Flotillin 1 antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).