

For Research Use Only

NDUFC2 Polyclonal antibody

Catalog Number: 15573-1-AP

4 Publications



Basic Information

Catalog Number:

15573-1-AP

Size:

400 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG7919

GenBank Accession Number:

BC007323

GeneID (NCBI):

4718

UNIPROT ID:

O95298

Full Name:

NADH dehydrogenase (ubiquinone) 1, subcomplex unknown, 2, 14.5kDa

Calculated MW:

14 kDa

Observed MW:

14 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IHC 1:50-1:500

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A549 cells, human kidney tissue, human liver tissue, Hela cells, HepG2 cells, mouse brain tissue, mouse heart tissue, rat brain tissue

IHC: human kidney tissue, human hepatocirrhosis tissue

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Brooke C Wilson	33122634	Nat Commun	WB
Liangliang Fu	28345649	Sci Rep	WB
Hezhi Fang	33852835	Cell Rep	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 15573-1-AP (NDUFC2 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 15573-1-AP (NDUFC2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human kidney tissue slide using 15573-1-AP (NDUFC2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human kidney tissue slide using 15573-1-AP (NDUFC2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).