## For Research Use Only

## CRTAP Polyclonal antibody

Catalog Number: 15724-1-AP

1 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 15724-1-AP BC008745
Size: GeneID (NCBI): 10491
Source: UNIPROT ID:

Rabbit O75718
Isotype: Full Name:

gG cartilage associated protein

Immunogen Catalog Number: Calculated MW:
AG8459 46.5 kDa
Observed MW:

43-47 kDa

Applications

Tested Applications: IF/ICC, IHC, IP, WB,ELISA

Cited Applications: IHC

Species Specificity: human, mouse, rat Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HT-1080 cells, human stomach tissue, NIH/3T3 cells, ROS1728 cells, HEK-293 cells, HeLa cells, human colon tissue

**Purification Method:** 

WB 1:1000-1:4000

protein lysate

IHC 1:50-1:500

IF 1:50-1:500

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

IP: HEK-293 cells,

IF: HeLa cells,

IHC: human kidney tissue,

## **Background Information**

**Notable Publications** 

AuthorPubmed IDJournalApplicationLiangshun Zhang38114688Med OncolIHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 15724-1-AP (CRTAP antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




IP result of anti-CRTAP (IP:15724-1-AP, 4ug; Detection:15724-1-AP 1:500) with HEK-293 cells lysate 3000 ug.



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 15724-1-AP (CRTAP antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 15724-1-AP (CRTAP antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using CRTAP antibody (15724-1-AP) at dilution of 1:200 and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). F-actin was stained using CL594-phalloidin (red) and DNA was stained by DAPI (blue).