For Research Use Only

## ENY2 Polyclonal antibody

Catalog Number:15778-1-AP

Featured Product






Basic Information	Catalog Number: 15778-1-AP	GenBank Accession Numb BC007870	ber: Purification Method: Antigen affinity purif	ication	
	Size:	GenelD (NCBI):	Recommended Diluti		
	340 µg/ml	56943	WB 1:500-1:1000		
	Source: Rabbit	UNIPROT ID: Q9NPA8	IHC 1:50-1:500	1:50-1:500	
	Isotype: IgG Immunogen Catalog Number: AG8462	Full Name: enhancer of yellow 2 homolog (Drosophila)			
		Calculated MW: 12 kDa			
		Observed MW: 10 kDa			
Applications	Tested Applications:	Po	Positive Controls:		
	IHC, WB, ELISA	WB : PC-3 cells,			
	Cited Applications: WB, IP	IHC : human breast cancer tissue,			
	Species Specificity: human				
	Cited Species: human				
	Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performed buffer pH 6.0	atively, antigen			
Background Information	ENY2, also named as DC6, is involved in mRNA export coupled transcription activation by association with both the TREX-2 and the SAGA complexes. Within the SAGA complex, participates in a subcomplex that specifically deubiquitinates both histones H2A and H2B. The SAGA complex is recruited to specific gene promoters by activators such as MYC, where it is required for transcription. It is required for nuclear receptor-mediated transactivation. The TREX-2 complex functions in docking export-competent ribonucleoprotein particles (mRNPs) to the nuclear entrance of the nuclear pore complex (nuclear basket). The MW of ENY2 is about 10 kDa.				
Notable Publications	Author	Pubmed ID Journal		Application	
	S Vijayalingam	26559831 J Virol		NB, IP	
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	l 50% glycerol pH 7.3.			


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 15778-1-AP (ENY2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



PC-3 cells were subjected to SDS PAGE followed by western blot with 15778-1-AP (ENY2 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.