

For Research Use Only

TNFAIP8 Polyclonal antibody

Catalog Number: 15790-1-AP

Featured Product

16 Publications



Basic Information

Catalog Number:

15790-1-AP

Size:

700 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG8491

GenBank Accession Number:

BC007014

GeneID (NCBI):

25816

UNIPROT ID:

O95379

Full Name:

tumor necrosis factor, alpha-induced protein 8

Calculated MW:

198 aa, 23 kDa

Observed MW:

19-23 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:1000

IHC 1:20-1:200

Applications

Tested Applications:

IHC, WB, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity:

human, mouse, rat

Cited Species:

human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : K-562 cells, PC-13 cells, A549 cells, MOLT-4 cells

IHC : human lung cancer tissue, human tonsillitis tissue

Background Information

TNFAIP8 (tumor necrosis factor, alpha-induced protein 8), also called SCC-52/GG2-1/NDED, is associated with enhanced cell survival and inhibition of apoptosis. The induction of TNFAIP8 by TNF depends on the activation of NF- κ B. TNFAIP8 suppresses the TNF-mediated apoptosis by inhibiting caspase-8 activity but not the processing of procaspase-8, subsequently resulting in inhibition of BID cleavage and caspase-3 activation. TNFAIP8 is expressed in adult spleen, lymph node, thymus, thyroid, bone marrow, and placenta, and in fetal liver, lung, and kidney at high levels, also expressed in various tumor tissues and all cancer cell lines tested. There are four major isoforms of TNFAIP8.

Notable Publications

Author	Pubmed ID	Journal	Application
Yoshiumi Ueda	36288730	Cell Chem Biol	WB
Suryakant Niture	33227392	Int J Biochem Cell Biol	WB
Xinhong Ge	33707587	Sci Rep	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 15790-1-AP (TNFAIP8 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human lung cancer slide using 15790-1-AP (TNFAIP8 Antibody) at dilution of 1:50.



Immunohistochemical analysis of paraffin-embedded human tonsillitis slide using 15790-1-AP (TNFAIP8 Antibody) at dilution of 1:50.