For Research Use Only

TNFAIP8 Polyclonal antibody

Catalog Number:15790-1-AP

Featured Product

16 Publications



Basic Information	Catalog Number: 15790-1-AP	GenBank Accession Numb BC007014	er: Purification M Antigen affini		
	Size:	GeneID (NCBI):	Recommende		
	700 µg/ml	25816	-	WB 1:500-1:1000 IHC 1:20-1:200	
	Source: Rabbit	UNIPROT ID: 095379	THC 1.20-1.200)	
	Isotype:	Full Name: tumor necrosis factor, alpha-induced protein 8 Calculated MW: 198 aa, 23 kDa			
	IgG Immunogen Catalog Number: AG8491				
					Observed MW: 19-23 kDa
		Applications	Tested Applications:	Po	Positive Controls:
IHC, WB, ELISA Cited Applications:	WE		B: K-562 cells, PC-13 cells,	A549 cells, MOLT-4 cell	
WB, IF, IHC			IHC : human lung cancer tissue, human tonsillitis tissue		
Species Specificity: human, mouse, rat					
Cited Species: human, rat, mouse					
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0					
Background Information	TNFAIP8 (tumor necrosis factor, alpha-induced protein 8), also called SCC-S2/GG2-1/NDED, is associated with enhanced cell survival and inhibition of apoptosis. The induction of TNFAIP8 by TNF depends on the activation of NF \ltimes B. TNFAIP8 suppresses the TNF-mediated apoptosis by inhibiting caspase-8 activity but not the processing of procaspase-8, subsequently resulting in inhibition of BID cleavage and caspase-3 activation. TNFAIP8 is expressed in adult spleen, lymph node, thymus, thyroid, bone marrow, and placenta, and in fetal liver, lung, and kidney at higl levels, also expressed in various tumor tissues and all cancer cell lines tested. There are four major isoforms of TNFAIP8.				
Notable Publications	Author	Pubmed ID Journal		Application	
	Yoshibumi Ueda	36288730 Cell Cher	n Biol	WB	
	Suryakant Niture	33227392 Int J Bioc	hem Cell Biol	WB	
	Xinhong Ge	33707587 Sci Rep		WB,IF	


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 15790-1-AP (TNFAIP8 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human tonsillitis slide using 15790-1-AP (TNFAIP8 Antibody) at dilution of 1:50.



Immunohistochemical analysis of paraffinembedded human lung cancer slide using 15790-1-AP (TNFAIP8 Antibody) at dilution of 1:50.