For Research Use Only

ALG5 Polyclonal antibody

Catalog Number: 16046-1-AP 1 Publications



Basic Information

Catalog Number:

16046-1-AP

BC012531

Concentration:

450 µg/ml

Source:

Rabbit

Q9Y673

Isotype:

GenBank Accession Number:

GeneID (NCBI):

29880

UNIPROT ID:

Q9Y673

Full Name:

asparagine-linked glycosylation 5, dolichyl-phosphate betaglucosyltransferase homolog (S. cerevisiae)

Calculated MW: 324 aa, 37 kDa Observed MW: 37 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity: human, mouse, rat

Immunogen Catalog Number:

AG8990

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: human kidney tissue, mouse liver tissue IHC: mouse liver tissue, human liver cancer tissue, human placenta tissue

Purification Method:

WB 1:500-1:1000 IHC 1:50-1:500

IF/ICC 1:20-1:200

Antigen affinity purification

Recommended Dilutions:

IF/ICC : HEK-293 cells,

Background Information

Dolichyl-phosphate beta-glucosyltransferase(ALG5), belongs to the family of glycosyltransferases, specifically the hexosyltransferases. ALG5 is widely expressed in pancreas, placenta, liver, heart, brain, kidney, skeletal muscle, and lung. ALG5 can catalyze the chemical reaction between UDP-glucose and UDP with dolichyl phosphate.

Notable Publications

Author	Pubmed ID	Journal	Application
Quanfeng Li	39760914	Cell Mol Life Sci	WB,IHC,IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




human kidney tissue were subjected to SDS PAGE followed by western blot with 16046-1-AP (ALG5 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 16046-1-AP (ALG5 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 16046-1-AP (ALG5 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using 16046-1-AP (ALG5 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).