## For Research Use Only

# ACSBG1 Polyclonal antibody

Catalog Number: 16077-1-AP

1 Publications



## **Basic Information**

16077-1-AP Size: 400 μ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG9043

Catalog Number:

GenBank Accession Number: BC009289 GeneID (NCBI): 23205 UNIPROT ID: Q96GR2 Full Name: acyl-CoA synthetase bubblegum family member 1 Calculated MW:

724 aa, 81 kDa Observed MW: 81 kDa

**Positive Controls:** 

IHC : mouse testis tissue,

WB: mouse testis tissue, rat testis tissue

### Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500

## Applications

Tested Applications: IHC, WB,ELISA Cited Applications: WB Species Specificity: human, mouse, rat Cited Species: mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

## **Background Information**

Notable Publications	Author	Pubmed ID	Journal	Application
	Yusuf Ali	38325289	Endocrinology	WB


Storage

Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data





mouse testis tissue were subjected to SDS PAGE followed by western blot with 16077-1-AP (ACSBG1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 16077-1-AP (ACSBG1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 16077-1-AP (ACSBG1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).