For Research Use Only

RLIM Polyclonal antibody

Catalog Number: 16121-1-AP

Featured Product

5 Publications



Basic Information

Catalog Number: 16121-1-AP Size: 600 µg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

Immunogen Catalog Number:

AG9077

GenBank Accession Number:

BC013357

GeneID (NCBI):
51132

UNIPROT ID:
Q9NVW2

Full Name:

ring finger protein, LIM domain interacting

Calculated MW: 624 aa, 69 kDa Observed MW: 75 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total $\,$

protein lysate

Applications

Tested Applications: IP, WB, ELISA

Cited Applications: WB, IP, IF, IHC, CoIP Species Specificity: human, mouse, rat Cited Species: human, mouse Positive Controls:

WB: HeLa cells, Jurkat cells

IP: HeLa cells,

Background Information

RLIM (RING finger LIM domain-binding protein), also known as RNF12 (RING finger protein 12) or NY-REN-43, is a 624 amino acid RING-H2 zinc finger protein that is involved in protein ubiquitinylation and subsequent degradation. Expressed in a variety of tissues, RLIM binds to the LIM domain of various proteins and functions as a protein ligase that negatively co-regulates LIM homeodomain (LIM-HD) transcription factors. Through its interaction with Sin3A, a component of the histone deacetylase corepressor complex, RLIM is able to recruit the corepressor complex to LIM-HD proteins, thereby inhibiting LIM-HD transcription. In addition to recruiting the deacetylase complex to LIM-HD proteins, RLIM is able to bind to, ubiquinate and subsequently degrade CLIM proteins, which function as positive coregulators of LIM-HD transcription factors. RLIM contains one RING-type zinc finger and is implicated in renal cell carcinoma. The calcualted molecular weight of RLIM is 69 kDa, but modified RLIM is about 70-75 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Chao Li	26317901	Oncotarget	WB
Yongsheng Huang	29137325	Oncotarget	WB
Tomasz Chelmicki	24842875	Elife	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 16121-1-AP (RLIM antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



IP result of anti-RLIM (IP:16121-1-AP, 4ug; Detection:16121-1-AP 1:500) with HeLa cells lysate 1520ug.