## For Research Use Only

## KRAS-4A-specific Polyclonal antibody

Catalog Number:16156-1-AP 3 Publications




Basic Information	Catalog Number: 16156-1-AP	GenBank Ac NM_033360	ccession Number:	Purification Method: Antigen affinity purification	
	Size:	GenelD (NC		Recommended Dilutions:	
	700 ug/ml	3845		WB 1:500-1:1000	
	Source: Rabbit	UNIPROT ID P01116	):	IHC 1:50-1:500 IF/ICC 1:200-1:800	
	lsotype: IgG				
		Observed M 21-24 kDa	1W:		
Applications	Tested Applications:		Positive Controls:		
	WB, IHC, IF/ICC, FC (Intra), E	LISA	WB: NIH/3T3 cells,		
	Cited Applications:	IHC : human stomach tissue,			
	WB Species Specificity: human mouse				
	Cited Species: human				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	RAS (derived from 'RAt Sarcoma' virus) gene family includes KRAS, HRAS, and NRAS. These genes encode very similar 21 kDa proteins and are homologs of rodent sarcoma virus genes that have transforming abilities. KRAS h two isoforms, 4A and 4B. This antibody is specific for KRAS-4A, which is also named as KRAS-2A.				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Andrew M Waters	28951536	Sci Signal	WB	
	Sascha Röth	32668202	Cell Chem Biol	WB	
			Life Sci Alliance	14/2	
	Kristen M Rehl	37666666		WB	


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



NIH/3T3 cells were subjected to SDS PAGE followed by western blot with 16156-1-AP (KRAS-2A-specific antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.




Recombinant proteins (ag27444 (6\*His tag-KRAS-2A), ag21645(6\*His tag-KRAS-2B), ag29746(6\*His tag-NRAS), ag23265(GST-HRAS)) were subjected to SDS PAGE followed by western blot with 16155-1-AP (KRAS-2B-specific antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human KRAS-2A-specific (16156-1-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP, Clone: ) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunohistochemical analysis of paraffinembedded human stomach tissue slide using 16156-1-AP (KRAS-2A-specific antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using KRAS-2A-specific antibody (16156-1-AP) at dilution of 1:400 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).