For Research Use Only

GGCT Polyclonal antibody

Catalog Number: 16257-1-AP

5 Publications



Basic Information

Catalog Number: GenBank Accession Number: 16257-1-AP BC019243
Size: GeneID (NCBI): 79017
Source: UNIPROT ID: Rabbit 075223
Isotype: Full Name:

gamma-glutamyl cyclotransferase

Immunogen Catalog Number:Calculated MW:AG9284188 aa, 21 kDaObserved MW:

21-25 kDa

Applications

Tested Applications: IF/ICC, IHC, IP, WB, ELISA Cited Applications: WB, IHC, CoIP Species Specificity:

human, mouse, rat Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HeLa cells, U-937 cells, mouse kidney tissue, mouse liver tissue, human brain tissue, HepG2 cells, HEK-293 cells, Jurkat cells

Purification Method:

WB 1:1000-1:6000

protein lysate

IHC 1:50-1:500

IF 1:50-1:500

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

IP: mouse kidney tissue,

IHC: mouse small intestine tissue,

IF: HeLa cells,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Lin Shen	36150660	Biochim Biophys Acta Mol Basis Dis	WB
Hui-Min Zhang	36233293	Int J Mol Sci	WB,IHC,CoIP
Kenneth N Maclean	29101223	FASEBJ	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffe


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



IP result of anti-GGCT (IP:16257-1-AP, 4ug; Detection:16257-1-AP 1:300) with mouse kidney tissue lysate 3000 ug.




Various lysates were subjected to SDS PAGE followed by western blot with 16257-1-AP (GGCT antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse small intestine tissue slide using 16257-1-AP (GGCT antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse small intestine tissue slide using 16257-1-AP (GGCT antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



human brain tissue were subjected to SDS PAGE followed by western blot with 16257-1-AP (GGCT antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using 16257-1-AP (GGCT antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).