For Research Use Only

## RAP2B Polyclonal antibody Catalog Number: 16266-1-AP 1 Publications




Basic Information	Catalog Number: 16266-1-AP	GenBank Accession Number: BC012362	Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):	Recommended Dilutions:	
	240 ug/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG9331	5912	WB 1:1000-1:8000 IHC 1:50-1:500	
		UNIPROT ID: P61225		
		Full Name: RAP2B, member of RAS oncogene family		
		Calculated MW: 183 aa, 21 kDa		
		Observed MW: 19-22 kDa		
Applications	Tested Applications: WB, IHC, ELISA	Positiv		
	Cited Applications: WB	WB : mouse brain tissue, MCF-7 cells, rat brain tissue HEK-293 cells		
	Species Specificity: human, mouse, rat			
	Cited Species: mouse			
	Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performed buffer pH 6.0	atively, antigen		
Background Information	RAP2B belongs to a family of RAS-related genes. It share approximately 50% amino acid identity with the classica RAS proteins and have numerous structural features in common. Rap2B is a platelet protein that is activated by thrombin and involved in platelet activation. RAP2B may be a novel candidate oncogene that plays important roles in carcinogenesis through activation of NF-kappaB pathway.			
Notable Publications	Author	Pubmed ID Journal	Application	
	Li Yi Y	22081607 J Biol Chem	WB	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer:	r after shipment.		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Immunohistochemical analysis of paraffinembedded human stomach tissue slide using 16266-1-AP (RAP2B antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Various lysates were subjected to SDS PAGE followed by western blot with 16266-1-AP (RAP2B antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.