### For Research Use Only

# ARC/ARG3.1 Polyclonal antibody

Catalog Number: 16290-1-AP

Featured Product

26 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 16290-1-AP BC012321

Concentration: GeneID (NCBI): 23237

Source: UNIPROT ID: Rabbit Q7LC44

Isotype: Full Name:

lgG activity-regulated cytoskeletonassociated protein

Immunogen Catalog Number: associated protein
AG9445 Calculated MW: 396 aa, 45 kDa
Observed MW:

45-50 kDa

**Applications** 

Tested Applications:
WB, IP, IHC, ELISA
Cited Applications:
WB, IHC, IF, IP
Species Specificity:
human, mouse, rat
Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with
TE buffer pH 9.0; (\*) Alternatively, antigen
retrieval may be performed with citrate

buffer pH 6.0

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

Positive Controls:

WB: SH-SY5Y cells, mouse brain tissue, rat heart tissue,

rat brain tissue

IP: mouse brain tissue,

IHC: mouse brain tissue, human brain tissue

## **Background Information**

ARC, also named as KIAA0278 and Arg3.1, mediates endocytosis of neuronal AMPA-type glutamate receptors (AMPARs). It is required for consolidation of synaptic plasticity as well as formation of long-term memory. ARC plays a role in the regulation of cell morphology and cytoskeletal organization. It is required in the stress fiber dynamics and cell migration.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Zhe-Zhe Zhang	35574247	Neural Plast	WB
Yuqian Shen	33662272	Mol Cell	WB
Liangcai Zhao	35761156	Mol Neurobiol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 16290-1-AP (ARC/ARG3.1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 16290-1-AP (ARC/ARG3.1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-ARC/ARG3.1 (IP:16290-1-AP, 4ug; Detection:16290-1-AP 1:300) with mouse brain tissue lysate 4000ug.