For Research Use Only

BCL2L13 Polyclonal antibody Catalog Number: 16612-1-AP Featured Product 24 Pu

Featured Product 24 Publications




Basic Information	Catalog Number: 16612-1-AP	GenBank Accession Number: BC003032		Purification Method: Antigen affinity purification		
	Concentration: GeneID (NCBI):		BI):	Recommended Dilutions:		
	750 µg/ml		UNIPROT ID: IP 0 Q9BXK5 pro		WB 1:1000-1:6000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate	
	Source: Rabbit					
	lsotype: IgG				IHC 1:50-1:500	
	Immunogen Catalog Number: AG9841					
Applications	Tested Applications: Positive WB, IP, IHC, ELISA		Positive Cont	Controls:		
	Cited Applications:		WB : HeLa cel heart tissue	: HeLa cells, mouse heart tissue, HepG2 cells, rat rt tissue		
	WB, IHC, IF Species Specificity:		IP : mouse he	IP : mouse heart tissue,		
	human, mouse, rat		IHC : human p	an pancreas cancer tissue,		
	Cited Species: human, mouse, rat					
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0					
Background Information	BCL2L13/MIL1 gene encodes a mitochondrially-localized protein with conserved B-cell lymphoma 2 homology motifs. BLC2L13 gene is highest expressed in heart, placenta and pancreas. The encoded protein Bcl-rambo may promote the activation of caspase-3 and apoptosis. The Bcl-rambo cell death activity was induced by its membrane anchored C-terminal domain and not by the Bcl-2 homology region (PMID: 11262395). Multivariate analysis demonstrated that high expression of BCL2L13 was an independent prognostic factor for in childhood acute lymphoblastic leukemia (PMID: 20109966).					
Notable Publications	Author	Pubmed ID	Journal		Application	
	Qiong Fang	36094724	Metab Brain Dis		IHC	
	Liping Ju	30352689	Biochem Biophys Res	Commun	WB	
	Simone C da Silva Rosa	33044904	Autophagy		WB	


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 16612-1-AP (BCL2L13 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



IP result of anti-BCL2L13 (IP:16612-1-AP, 3ug; Detection:16612-1-AP 1:100) with mouse heart tissue lysate 8000ug.



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 16612-1-AP (BCL2L13 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 16612-1-AP (BCL2L13 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.