For Research Use Only

LAG-3/CD223 Polyclonal antibody, PBS Only

proteintech®

Antibodies | ELISA kits | Proteins

www.ptglab.com

Purification Method:

Antigen affinity purification

Catalog Number: 16616-1-PBS

Basic Information

Catalog Number: 16616-1-PBS

Concentration:

1 mg/ml
Source:
Rabbit
Isotype:

IgG lymphocyte-activation gene 3

Immunogen Catalog Number:Calculated MW:AG9909525 aa, 57 kDaObserved MW:

54 kDa, 60-65 kDa

GenBank Accession Number:

BC052589

3902

P18627 Full Name:

GeneID (NCBI):

UNIPROT ID:

Applications

Tested Applications: IHC, IF-P, IP, ELISA Species Specificity: human, mouse, rat

Background Information

LAG-3, also known as CD223, is an immune checkpoint molecule that regulates both T-cell activation and homeostasis. LAG-3 is expressed on activated T cells, NK cells, regulatory T cells, and plasmacytoid dendritic cells. It is a CD4-related molecule that binds MHC class II. LAG-3 plays an important role in modulating T cell expansion and function, and blockade of LAG-3 with monoclonal antibodies can augment T cell function. (PMID: 15634887; 21086108; 28783703)


Storage

Storage: Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS only, pH7.3


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 16616-1-AP (LAG-3/CD223 antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 16616-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 16616-1-AP (LAG-3/CD223 antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 16616-1-PBS in a different storage buffer formulation.



IP result of anti-LAG-3 (IP:16616-1-AP, 4ug; Detection:16616-1-AP 1:500) with mouse liver tissue lysate 4000ug. This data was developed using the same antibody clone with 16616-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using LAG-3 antibody (16616-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 16616-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using LAG-3 antibody (16616-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 16616-1-PBS in a different storage buffer formulation.