For Research Use Only

NDUFB11 Polyclonal antibody

Catalog Number:16720-1-AP

Featured Product

12 Publications


Antibodies | ELISA kits | Proteins www.ptglab.com

Basic Information	Catalog Number: 16720-1-AP	GenBank Accession N BC107805	lumber:	Purification Method: Antigen affinity purification		
	Size:	GenelD (NCBI):		Recommended Dilutions: WB 1:1000-1:4000 IP 0.5-4.0 ug for 1.0-3.0 mg of total		
	350 ug/ml Source:	54539 UNIPROT ID:				
	Rabbit Isotype: IgG Immunogen Catalog Number: AG10159	Q9NX14 Full Name: NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 11, 17.3kDa		protein lysate IHC 1:50-1:500 IF/ICC 1:50-1:500		
					Calculated MW: 163 aa, 18 kDa	
		Observed MW: 18-20 kDa				
		Applications	Tested Applications: WB, IHC, IF/ICC, IP, ELISA	Positive Con		rols:
Cited Applications: WB			WB : HepG2 ce skeletal muso	, mouse skeletal muscle tissue, rat tissue		
				eletal muscle tissue,		
Species Specificity: IHC : human kidney tissue, human, mouse, rat IF/ICC : HepG2 cells,			n kidney tissue,			
			2 cells,			
human, mouse Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0						
				Background Information	neuronal protein 17.3(Np17.3) a	nd belongs to the complex I to the respiratory chain and
Notable Publications	Author	Pubmed ID Journ	าลเ	Application		
	Vanessa A van Rahden	25772934 Am J	Hum Genet	WB		
	Yanchun Ji	32723871 J Biol	. Chem	WB		
	Michela Di Nottia	27460976 Clin	Genet	WB		
Storage	Storage: Store at -20°C. Stable for one yes Storage Buffer: PBS with 0.02% sodium azide ar Aliquoting is unnecessary for -20	nd 50% glycerol pH 7.3.				


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




IP result of anti-NDUFB11 (IP:16720-1-AP, 4ug; Detection:16720-1-AP 1:500) with mouse skeletal muscle tissue lysate 4000 ug.



HepG2 cells were subjected to SDS PAGE followed by western blot with 16720-1-AP (NDUFB11 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human kidney tissue slide using 16720-1-AP (NDUFB11 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepC2 cells using NDUFB11 antibody (16720-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), (CL594-Phalloidin, red).