For Research Use Only

PLCD3 Polyclonal antibody

Catalog Number: 16792-1-AP 2 Publications



Basic Information

 Catalog Number:
 GenBank Accession Number:

 16792-1-AP
 BC072384

 Size:
 GeneID (NCBI):

 200 ug/ml
 113026

 Source:
 UNIPROT ID:

 Rabbit
 Q8N3E9

Isotype: Full Name:
IgG phospholipase C, delta 3

Immunogen Catalog Number:Calculated MW:AG10249789 aa, 89 kDa

Observed MW: 85 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500

Applications

Tested Applications: WB, IHC, ELISA Cited Applications:

WB

Species Specificity:

human
Cited Species:
human, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: SH-SY5Y cells, A549 cells, U2OS cells

IHC: human intrahepatic cholangiocarcinoma tissue,

Background Information

Phospholipase C Delta 3 (PLCD3) is a protein-coding gene located on chromosome 17 and a member of the phospholipase C family. PLCD3 is expressed broadly across different tissues, with high expression levels observed in the colon and urinary bladder, among others. The enzyme localizes to the plasma membrane and requires calcium for activation. Spermine, sphingosine, and several phospholipids can inhibit its activity. Recent studies have implicated PLCD3 in various types of cancer. In summary, PLCD3 is an important enzyme involved in cellular signaling and has been implicated in the development and progression of various cancers, making it a potential target for therapeutic interventions.

Notable Publications

Author	Pubmed ID	Journal	Application
Weidong Liu	29115528	Oncol Rep	WB
Hua Li Chen	31898356	J Cell Biochem	WB

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human intrahepatic cholangiocarcinoma tissue slide using 16792-1-AP (PLCD3 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



SH-SY5Y cells were subjected to SDS PAGE followed by western blot with 16792-1-AP (PLCD3 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human intrahepatic cholangiocarcinoma tissue slide using 16792-1-AP (PLCD3 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).