For Research Use Only

HIP1R Polyclonal antibody

Catalog Number: 16814-1-AP

Featured Product





Basic Information

Catalog Number: 16814-1-AP Size: 900 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG10353 GenBank Accession Number: BC067085 GeneID (NCBI): 9026 UNIPROT ID: 075146 Full Name: huntingtin interacting protein 1 related Calculated MW: 615 aa, 70 kDa, 120 kDa Observed MW: 120 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:20-1:200

Applications

Tested Applications: WB, IP, IHC, ELISA Cited Applications: WB, IHC, IF, IP Species Specificity: human, mouse, rat Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : mouse brain tissue, HeLa cells, mouse lung tissue, mouse heart tissue, human liver tissue, mouse kidney tissue

IP: mouse brain tissue,

IHC : human placenta tissue,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Riyad N H Seervai	33008892	Sci Adv	WB
Huanbin Wang	30397328	Nat Chem Biol	WB,IP,IF
Han Yao	34458782	RSC Chem Biol	WB

Storage


Storage:


Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data







Various lysates were subjected to SDS PAGE followed by western blot with 16814-1-AP (HIP1R antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human placenta using 16814-1-AP (HIP1R antibody) at dilution of 1:100 (under 40x lens). mouse brain tissue were subjected to SDS PAGE followed by western blot with 16814-1-AP (HIP1R Antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



IP result of anti-HIP1R (IP:16814-1-AP, 4ug; Detection:16814-1-AP 1:1000) with mouse brain tissue lysate 4000ug.