For Research Use Only

VPS33A Polyclonal antibody Catalog Number: 16896-1-AP Featured Product 11

Featured Product 11 Publications




Basic Information	Catalog Number: 16896-1-AP	GenBank Accession Number: BC016617		Purification Method: Antigen affinity purification	
	Size: 450 ug/ml	Genel D (NC) 65082	BI):	Recommended Dilutions: WB 1:500-1:2000	
	Source: Rabbit	UNIPROT ID Q96AX1	UNIPROT ID: IP 0.5-4.0 ug for 1 Q96AX1 protein lysate		
	Isotype: IgG Immunogen Catalog Number: AG10422	Full Name: vacuolar protein sorting 33 homolog A (S. cerevisiae) Calculated MW: 596 aa, 68 kDa Observed MW: 68 kDa			
	Tostod Applications:	00 K D a	Pocitivo	ontrols	
Applications	Tested Applications: WB, IP, ELISA Cited Applications:		Positive Controls: WB : human brain tissue, HepG2 cells, human cerebellum tissue, NIH/3T3 cells		
	WB, IF Species Specificity: human, mouse, rat Cited Species: human, mouse, rat	IP : HepG2 cells,			
Background Information	VPS33A is a Sec1/Munc18 family member and is a component of the homotypic fusion and protein sorting (HOPS)- tethering complex. The mammalian HOPS complex comprises six subunits (VPS11, VPS16, VPS18, VPS33A, VPS39, and VPS41) (PMID: 23901104). This complex is required for late endosome-lysosome and autophagosome-lysosome fusion (PMID: 24554770). VPS33A plays a role in vesicular transport to the lysosomal compartment.				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Aastha Sindhwani	29084291	PLoS Pathog	IF	
	Sonja Fernbach	35320721	Cell Rep	WB	
	Rituraj Marwaha	28325809	J Cell Biol	WB	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide an Aliquoting is unnecessary for -20	d 50% glycerol pł	H 7.3.		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





human brain tissue were subjected to SDS PAGE followed by western blot with 16896-1-AP (VPS33A antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours. IP result of anti-VPS33A (IP:16896-1-AP, 4ug; Detection:16896-1-AP 1:600) with HepG2 cells lysate 1600ug.