For Research Use Only

DDX46 Polyclonal antibody Catalog Number:16927-1-AP 4 Publications





Basic Information	Catalog Number: 16927-1-AP	GenBank Accession Number: BC012304		Purification Method: Antigen affinity purification	
	Size: GeneID (NCBI):):	Recommended Dilutions:	
	350 ug/ml	9879		WB 1:500-1:3000 IP 0.5-4.0 ug for 1.0-3.0 mg of total	
	Source: Rabbit	Q7L014 pro		protein lysate IHC 1:50-1:500	
	Isotype: IgG Immunogen Catalog Number: AG10342				
		Observed MW 120-125 kDa	:		
Applications	Tested Applications:	Positive Controls: WB : HEK-293 cells, HeLa cells, NIH/3T3 cells			
	WB, IHC, IP, ELISA Cited Applications:				
	WB, IF	VB, IF			
	Species Specificity: human, mouse, rat	IHC : human stomach tissue, human ovary cancer tissue			
	Cited Species: human				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	DDX46, also named as KIAA0801, is a 1031 amino acid protein, which belongs to the DEAD box helicase family. DDX46 has been shown to be required at the early step of pre-spliceosome assembly. It uses the energy released the hydrolysis of ATP to rearrange local RNA-RNA or protein-RNA interactions. The nuclear DDX46 acted as a negative regulator of the antiviral innate response by recruiting the m6A'eraser' ALKBH5 to induce retention of antiviral innate mRNA in the nucleus.				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Liang Wei Wang	31518366	PLoS Pathog	WB	
	Andrea Pawellek	28884683	Elife	IF	
	Stephanie Pei Tung Yiu	35263599	Cell Rep	WB	
Storage	Storage: Store at -20°C. Stable for one ye	ar after shipment.			

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data






HEK-293 cells were subjected to SDS PAGE followed by western blot with 16927-1-AP (DDX46 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours. IP result of anti-DDX46 (IP:16927-1-AP, 4ug; Detection:16927-1-AP 1:1000) with NIH/3T3 cells lysate 2000ug.



Immunohistochemical analysis of paraffinembedded human ovary cancer tissue slide using 16927-1-AP (DDX46 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human stomach tissue slide using 16927-1-AP (DDX46 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).