For Research Use Only

PHYHIPL Polyclonal antibody

Catalog Number: 16937-1-AP



Purification Method:

WB 1:1000-1:5000 IHC 1:50-1:500

IF 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 16937-1-AP BC011268

Size: GeneID (NCBI): 600 µg/ml 84457

Source: UNIPROT ID: Rabbit Q96FC7

Isotype: Full Name:

IgG phytanoyl-CoA 2-hydroxylase Immunogen Catalog Number: interacting protein-like AG10435 Calculated MW:

376 aa, 43 kDa Observed MW: 39 kDa and 42-45 kDa

Positive Controls:

IF/ICC, IHC, WB, ELISA WB: mouse brain tissue, rat brain tissue, mouse testis

Species Specificity: tissue, rat testis tissue human, mouse, rat

Note-IHC: suggested antigen retrieval with

TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

Background Information

PHYHIPL, a kind of mitochondrial protein, is associated with energy production, oxidative stress and organelle dynamics. It is reported that global ischemia is related to the change of PHYHIPL protein level. Compared with the control group, the level of APOE (may be involved in abnormal regulation of mitochondrial function) is significantly increased after ischemic stimulation, while the APOE genotype has a effect on PHYHIPL protein level. 16937-1-AP detects 39 kDa isoform and 42-45 kDa isoform in SDS-PAGE. (PMID: 21878944)

Storage

Applications

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


Tested Applications:

buffer pH 6.0


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 16937-1-AP (PHYHIPL antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 16937-1-AP (PHYHIPL antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using 16937-1-AP (PHYHIPL antibody) at dilution of 1:50 and Coralite488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).