For Research Use Only

INTS7 Polyclonal antibody

Catalog Number: 17054-1-AP

3 Publications



Purification Method:

WB 1:500-1:2400 IHC 1:20-1:200

IF 1:20-1:200

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 17054-1-AP BC020523

Size: GeneID (NCBI): 25896

Source: UNIPROT ID: Rabbit Q9NVH2

Isotype: Full Name:

integrator complex subunit 7

Immunogen Catalog Number:Calculated MW:AG10755948 aa, 105 kDa

Observed MW: 107 kDa

Applications

Tested Applications:
IF/ICC, IHC, WB,ELISA
Cited Applications:
WB, IP, IF, IHC, CoIP
Species Specificity:
human, mouse, rat
Cited Species:
human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HEK-293 cells, A431 cells
IHC: human brain tissue,
IF: SH-SY5Y cells,

Background Information

INTS7 is a subunit of the integrator complex. The Integrator complex is associated with the C-terminal domain (CTD) of RNA polymerase II largest subunit (POLR2A) and is recruited to the U1 and U2 snRNAs genes. Plays a role in DNA damage response (DDR) signaling during the S phase (PMID: 21659603).

Notable Publications

Author	Pubmed ID	Journal	Application
Yubo Liu	34880777	Front Physiol	WB,IF,IP
Xiang Li	34781123	Int Immunopharmacol	IHC
Yubo Liu	37576499	PeerJ	WB,CoIP

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



HEK-293 cells were subjected to SDS PAGE followed by western blot with 17054-1-AP (INTS7 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human brain using 17054-1-AP (INTS7 antibody) at dilution of 1:100 (under 40x lens).



Immunofluorescent analysis of SH-SY5Y cells using 17054-1-AP (INTS7 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).