For Research Use Only

TNP1 Polyclonal antibody Catalog Number:17178-1-AP 20 Publications




Basic Information	Catalog Number: 17178-1-AP	GenBank Accession		Purification Method:	
	1/1/8-1-AP Concentration:	BC029516 GeneID (NCBI):	0	Antigen affinity purification Recommended Dilutions: WB 1:500-1:2000 IF-P 1:50-1:500 IF-Fro 1:50-1:500	
	800 ug/ml	7141			
	Source: Rabbit	UNIPROT ID: P09430			
	lsotype: IgG Immunogen Catalog Number:	Full Name: transition protein 1 (during histone to protamine replacement) Calculated MW: 55 aa, 7 kDa			
	AG10890				
		Observed MW: 6-10 kDa			
Applications	Tested Applications:		Positive Controls:		
	WB, IF-P, IF-Fro, ELISA		WB : mouse testis tissue,		
	Cited Applications: WB, IHC, IF		IF-P : mouse testis tissue,		
	Species Specificity: human, mouse, rat	cies Specificity: IF-Fro : mouse testis tissue,			
	Cited Species: human, mouse				
Background Information	Transition nuclear proteins (TNP1 and TNP2) are the major nuclear proteins that replace somatic histones during spermatogenesis. TNPs are required for normal chromatin condensation and functional sperm development, spermatogenesis was found to be compromised in both Tnp1 and Tnp2 null mice. TNP1, or TP1, localized in nucleu is a spermatid-specific product of the haploid genome which replaces histone and is itself replaced in the mature sperm by the protamines. Recently, TNP-1 was used as a germ cell marker in condensing spermatids.				
Notable Publications	Author	Pubmed ID Jour	nal	Application	
	Zijun Peng	34741939 J Ha	zard Mater	IF,IHC	
	Yi Yu	33046149 Zyg	ote	IF	
	Akane Morohoshi	30391586 Dev	Biol	IF	
	Storage:				

 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using 17178-1-AP (TNP1 antibody), at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



mouse testis tissue were subjected to SDS PAGE followed by western blot with 17178-1-AP (TNP1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed frozen OCT-embedded mouse testis tissue using 17178-1-AP (TNP1 antibody) at dilution of 1:200 and CoraLite488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).