

For Research Use Only

# DNAJC5B Polyclonal antibody

Catalog Number: 17364-1-AP

1 Publications



## Basic Information

Catalog Number:

17364-1-AP

Concentration:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG10744

GenBank Accession Number:

BC016742

GeneID (NCBI):

85479

UNIPROT ID:

Q9UF47

Full Name:

DnaJ (Hsp40) homolog, subfamily C, member 5 beta

Calculated MW:

199 aa, 22 kDa

Observed MW:

22 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:3000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IF/ICC 1:10-1:100

## Applications

Tested Applications:

WB, IF/ICC, IP, ELISA

Cited Applications:

WB, IF

Species Specificity:

human, mouse, rat

Cited Species:

mouse, pig

Positive Controls:

WB : mouse testis tissue,

IP : mouse testis tissue,

IF/ICC : HepG2 cells,

## Background Information

DNAJC5B encodes cysteine string proteins (CSP) beta. CSPs belong to the DnaJ-like chaperone family and play an important role in regulated exocytosis in neurons and endocrine cells. Mammals express three CSP proteins,  $\alpha$ ,  $\beta$ ,  $\gamma$ . In contrast to the CSP  $\alpha$  which is ubiquitously expressed, CSP  $\beta$  is restricted to testis and auditory hair cell neurons. The predicted MW of DNAJC5B is around 22 kDa, while some modified forms exist (PMID: 17034881)

## Notable Publications

Author	Pubmed ID	Journal	Application
Dake Chen	39899042	Cell Mol Life Sci	WB,IF

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



mouse testis tissue were subjected to SDS PAGE followed by western blot with 17364-1-AP (DNAJC5B antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of HepG2 cells, using DNAJC5B antibody 17364-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP result of anti-DNAJC5B (IP:17364-1-AP, 3ug; Detection:17364-1-AP 1:1500) with mouse testis tissue lysate 4000ug.