For Research Use Only

Inhibin beta A-Specific Polyclonal antibody



Catalog Number: 17524-1-AP

Basic Information

Catalog Number: 17524-1-AP Size:

400 μg/ml Source:

Rabbit Isotype: IgG GenBank Accession Number:

NM_002192 GeneID (NCBI): 3624

UNIPROT ID: P08476 Full Name: inhibin, beta A

Calculated MW:

47 kDa
Observed MW:
47 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:1000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate

Applications

Tested Applications: IP, WB,ELISA

Species Specificity: human, mouse, rat

Positive Controls:

WB: mouse brain tissue, PC-3 cells, rat brain tissue

IP: rat brain tissue,

Background Information

Inhibin β A (INHBA) is a ligand in the transforming growth factor β (TGF- β) superfamily. Inhibin β A forms a disulfide-linked homo-dimer known as activin A, which has been implicated in multiple biologic processes, including neoplastic progression. The inhibin β A can also bind the β B and α isoforms to form activin AB and inhibin, respectively.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




rat brain tissue were subjected to SDS PAGE followed by western blot with 17524-1-AP (Inhibin beta A-Specific antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



PC-3 cells were subjected to SDS PAGE followed by western blot with 17524-1-AP (Inhibin beta A-Specific antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



mouse brain tissue were subjected to SDS PAGE followed by western blot with 17524-1-AP (Inhibin beta A-Specific antibody at dilution of 1:600 incubated at room temperature for 1.5 hours.



IP result of anti-Inhibin beta A-Specific (IP:17524-1-AP, 4ug; Detection:17524-1-AP 1:500) with rat brain tissue lysate 4000ug.