For Research Use Only

Arfaptin-1 Polyclonal antibody

Catalog Number: 17726-1-AP

1 Publications



Basic Information

17726-1-AP Size: 800 μg/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG12122

Catalog Number:

GenBank Accession Number: BC 103759 GeneID (NCBI): 27236 UNIPROT ID: P53367 Full Name: ADP-ribosylation factor interacting protein 1 Calculated MW: 373 aa, 42 kDa Observed MW:

42 kDa, 38 kDa, 22 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500 IF/ICC 1:50-1:500

Applications

Tested Applications: WB, IF/ICC, IHC, ELISA, FC (Intra) Cited Applications: WB Species Specificity: human, mouse Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : BxPC-3 cells, HCT 116 cells, HeLa cells, HepG2 cells, Jurkat cells, Raw 264.7 cells, mouse brain tissue IHC : human breast cancer tissue, human pancreas tissue IF/ICC : HepG2 cells,

Background Information

Notable Publications	Author	Pubmed ID	Journal	Application
	Liyuan Zhang	27384878	Oncotarget	WB


Storage

Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 17726-1-AP (Arfaptin-1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 17726-1-AP (ARFIP1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 17726-1-AP (ARFIP1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Arfaptin-1 antibody (17726-1-AP) at dilution of 1:200 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1x10^6 HepG2 cells were intracellularly stained with 0.4 ug Arfaptin-1 Polyclonal antibody (17726-1-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.4 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).