For Research Use Only

PDE7B Polyclonal antibody

Catalog Number:17771-1-AP


Featured Product 5 Publications




Basic Information	Catalog Number: 17771-1-AP	GenBank Accession Number: BC075082		urification Method: ntigen affinity purification	
	Concentration:GeneID (NCBI):300 ug/ml27115Source:UNIPROT ID:RabbitQ9NP56			Recommended Dilutions: WB 1:500-1:3000 IHC 1:50-1:500	
				IF/ICC 1:200-1:800	
	Isotype: Full Name: IgG phosphodiesterase 7B				
	Immunogen Catalog Number: AG12184	Calculated MW: 450 aa, 52 kDa			
	Observed MW: 50 kDa				
Applications	Tested Applications:				
	WB, IHC, IF/ICC, ELISA		WB : HeLa cells, mouse brain tissue		
	Cited Applications: IHC : m WB, IHC, IF		IHC : mouse brai	n tissue,	
	Species Specificity: IF/ICC : HepG2 cells, human, mouse, rat IF/ICC : MepG2 cells,				
	Cited Species: human, rat				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	PDE7B(cAMP-specific 3',5'-cyclic phosphodiesterase 7B) belongs to the cyclic nucleotide phosphodiesterase family and PDE7 subfamily,which regulate intracellular levels of cAMP and cGMP, cyclic nucleotides that play important roles as second messengers in multiple physiologic processes. PDE7B gene is expressed predominantly in the brain and in a number of other tissues including liver, heart, thyroid glands, and skeletal muscle, but not expressed in blood leukocytes (PMID:12388353).				
Notable Publications	Author	Pubmed ID Jou	rnal	Application	
	Jose A Morales-Garcia	25457552 Neu	robiol Aging	WB, IF	
	Jose A Morales-Garcia	25925836 Ster	m Cells Transl Med	WB	
	Jose A Morales-Garcia	27538853 Ster	m Cells	WB	
Storage	Storage: Store at -20°C. Stable for one ye	ar after shipment.			

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 17771-1-AP (PDE7B antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using PDE7B antibody (17771-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). 116kd→ 66kd→ 45kd→ 35kd→

HeLa cells were subjected to SDS PAGE followed by western blot with 17771-1-AP (PDE7B antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 17771-1-AP (PDE7B antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).