## For Research Use Only

## NOMO1 Polyclonal antibody

Catalog Number: 17792-1-AP 1 Publications



**Basic Information** 

Catalog Number: 17792-1-AP

Size: 400 ug/ml

Source:

Rabbit

Isotype:

AG11895

GenBank Accession Number: BC065535 GeneID (NCBI): 23420 UNIPROT ID: Q15155 Full Name:

NODAL modulator 1

Calculated MW:
1222 aa, 134 kDa

1222 aa, 134 k Observed MW: 135 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:500-1:2000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

protein lysate IHC 1:200-1:800 IF/ICC 1:20-1:200

**Applications** 

Tested Applications: WB, IHC, IF/ICC, IP, ELISA Cited Applications:

Immunogen Catalog Number:

IHC

Species Specificity: human, mouse Cited Species: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: mouse colon tissue, A431 cells, COLO 320 cells,

human brain tissue IP: A431 cells,

IHC: human colon cancer tissue, human colon tissue,

human pancreas tissue IF/ICC: MCF-7 cells,

**Background Information** 

**Notable Publications** 

 Author
 Pubmed ID
 Journal
 Application

 Na Zhao
 28963438
 Clin Sci (Lond)
 IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**




mouse colon tissue were subjected to SDS PAGE followed by western blot with 17792-1-AP (NOMO 1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human colon slide using 17792-1-AP (NOMO1 Antibody) at dilution of 1:50.




Immunofluorescent analysis of MCF-7 cells, using NOMO1 antibody 17792-1-AP at 1:50 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 17792-1-AP (NOMO1 antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon slide using 17792-1-AP (NOMO1 Antibody) at dilution of 1:50.



IP result of anti-NOMO 1 (IP:17792-1-AP, 4ug; Detection:17792-1-AP 1:1000) with A431 cells lysate 1520ug.