For Research Use Only

PGK1 Polyclonal antibody

Catalog Number:17811-1-AP

Featured Product






Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 17811-1-AP BC 103752 Antigen affinity purification GenelD (NCBI): Recommended Dilutions: Concentration: 550 µg/ml 5230 WB 1:5000-1:50000 IP 0.5-4.0 ug for 1.0-3.0 mg of total UNIPROT ID: Source: protein lysate Rabbit P00558 Full Name: Isotype: IgG phosphoglycerate kinase 1 Calculated MW: Immunogen Catalog Number: AG12119 417 aa, 45 kDa **Observed MW:** 40-45 kDa **Tested Applications: Applications Positive Controls:** WB, IP, ELISA WB: A431 cells, HepG2 cells, HEK-293 cells, HeLa cells, **Cited Applications:** PC-12 cells, PC-3 cells, NIH/3T3 cells, mouse liver WB, IHC, IF, IP, CoIP tissue, rat liver tissue **Species Specificity:** IP: SW 1990 cells. HeLa cells human, mouse, rat **Cited Species:** human, mouse, rat, pig The PGK1 gene encodes phosphoglycerate kinase-1, also known as ATP:3-phosphoglycerate 1-phosphotransferase **Background Information** (EC 2.7.2.3), which catalyzes the reversible conversion of 1,3-diphosphoglycerate to 3-phosphoglycerate during glycolysis, generating one molecule of ATP. It Belongs to the phosphoglycerate kinase family and defects in PGK1 are the cause of phosphoglycerate kinase 1 deficiency (PGK1D). PGK1 has 2 isoforms with the molecular mass of 45 kDa and 41 kDa. **Notable Publications** Author Pubmed ID Journal Application WB,IHC Xiaoduan Li 34510316 Cell Biol Toxicol WB,IP **Zheying Min** Front Cell Dev Biol 33043000 Xiaodong Zhang 30180863 J Exp Clin Cancer Res WB Storage Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol, pH7.3 Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 17811-1-AP (PGK1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



WB result of PGK1 antibody (17811-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PGK1 transfected HeLa cells.



IP result of anti-PGK1 (IP:17811-1-AP, 4ug; Detection:17811-1-AP 1:2000) with SW 1990 cells lysate 2800 ug.