For Research Use Only

MMP8 Polyclonal antibody

Catalog Number: 17874-1-AP

Featured Product

14 Publications



Basic Information

Catalog Number:

17874-1-AP

BC074988

Concentration:

700 ug/ml

Source:

Rabbit

Cotype:

GenBank Accession Number:

BC074988

GeneID (NCBI):

4317

UNIPROT ID:

P22894

Full Name:

IgG matrix metallopeptidase 8
Immunogen Catalog Number: (neutrophil collagenase)
AG12367 Calculated MW:

467 aa, 53 kDa Observed MW: 60-70 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:500-1:2400 IHC 1:20-1:200 IF/ICC 1:200-1:800

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity: human, mouse, rat Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HepG2 cells, Jurkat cells, mouse liver tissue IHC: human placenta tissue, human kidney tissue, human ovary tissue, human spleen tissue, human

testis tissue

IF/ICC : HepG2 cells,

Background Information

MMP8(Matrix metalloproteinase-8) an enzyme that degrades fibrillar collagens imparting strength to the fetal membranes, is expressed by leukocytes and chorionic cytotrophoblast cells(PMID:15367487). Purified human neutrophil MMP-8 with proeMMP-8 at 70-75 KDa and active enzyme at 65 KDa and amniochorion proenzyme and active enzyme at 65 and 50 KDa, respectively(PMID: 28772283, PMID:15042023).

Notable Publications

Author	Pubmed ID	Journal	Application
Junxiong Zhao	36302628	Korean J Physiol Pharmacol	WB
Congshan Jiang	31275058	Mediators Inflamm	WB
Yaron Vagima	25974210	PLoS Pathog	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com

W: ptgcn.coi

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




HepG2 cells were subjected to SDS PAGE followed by western blot with 17874-1-AP (MMP8 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human placenta using 17874-1-AP (MMP8 antibody) at dilution of 1:100 (under 10x lens)



Immunohistochemical analysis of paraffinembedded human placenta using 17874-1-AP (MMP8 antibody) at dilution of 1:100 (under 40x lens)



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using MMP8 antibody (17874-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), (red).