

For Research Use Only

Securin Polyclonal antibody

Catalog Number: 18040-1-AP

Featured Product

7 Publications



Basic Information

Catalog Number: 18040-1-AP	GenBank Accession Number: BC101834	Purification Method: Antigen affinity purification
Size: 750 µg/ml	GeneID (NCBI): 9232	Recommended Dilutions: WB 1:1000-1:6000 IHC 1:50-1:500 IF 1:200-1:800
Source: Rabbit	UNIPROT ID: O95997	
Isotype: IgG	Full Name: pituitary tumor-transforming 1	
Immunogen Catalog Number: AG12670	Calculated MW: 202 aa, 22 kDa	
	Observed MW: 28 kDa	

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA	Positive Controls: WB : Daudi cells, HepG2 cells, MDA-MB-231 cells IHC : human urothelial carcinoma tissue, IF : U2OS cells, HepG2 cells
Cited Applications: WB, IP, IF, IHC	
Species Specificity: Human	
Cited Species: human, mouse	

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Securin, also known as the pituitary tumor transforming gene (PTTG1), was first isolated from rat pituitary tumor cells. Securin is a multi-functional protein that regulates sister chromatin segregation in mitosis, DNA repair, gene transcription, metabolism, and organ development. Securin is normally expressed in tissues with high proliferative activity, including the spleen, thymus gland, and testis, whereas it is rarely expressed in differentiated mature tissues (PMID: 22563433, PMID: 36123907). The calculated molecular weight of Securin is 22 kDa. With post-translational modification, the molecular weight of Securin will be migrated to 28 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Zhenhua Zhang	31346548	Open Med (Wars)	WB
Jinyu Yang	34297995	Cryobiology	IF
Mengchen Zhang	27991546	Sci Rep	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 18040-1-AP (Securin antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human urothelial carcinoma tissue slide using 18040-1-AP (Securin antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HepG2 cells using Securin / PTTG1 antibody (18040-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (-20°C Methanol) fixed U2OS cells using Securin antibody (18040-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).