For Research Use Only

TEM1 Polyclonal antibody Catalog Number:18160-1-AP Featured Product

Featured Product





Basic Information	Catalog Number: 18160-1-AP	GenBank Accession Numbe BC051340	r: Purification Method: Antigen affinity purification
	Size:	GenelD (NCBI):	Recommended Dilutions:
	700 ug/ml	57124	WB 1:500-1:1000
	Source:	UNIPROT ID:	IHC 1:250-1:1000
	Rabbit Q9HCU0 Isotype: Full Name: IgG CD248 molecule, endosialin		
			n
	Immunogen Catalog Number: AG12990	Calculated MW: 757 aa, 81 kDa	
	Observed MW: 160 kDa		
Applications	Tested Applications:	Positive Controls:	
	WB, IHC, ELISA Cited Applications:	WB : HUVEC cells,	
	WB, IHC, IF, CoIP IHC : human lung cancer tissue,		
	Species Specificity: human, mouse, rat		
	Cited Species: human, mouse, rat		
	Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performe buffer pH 6.0	atively, antigen	
Background Information	TEM1 (Tumor endothelial marker 1), also named as CD248, Endosialin and CD164L1, is a C-type lectin-like domain (CTLD) containing type I transmembrane glycoprotein. It is now considered to be a highly selective marker for activated perivascular and stromal cells, detected in most cancers and at least some inflammatory disorders. CD24 plays a role in tumor angiogenesis. It is a potential diagnostic tool and therapeutic target of inflammatory and malignant disease. Two isoforms of human TEM1 exist. The calculated molecular weights of the two isoforms are 8 kDa and 46 kDa, respectively. Native TEM1 can be glycosylated, and the glycosylated form has a larger apparent molecular weight than 81 kDa.		
Notable Publications	Author	Pubmed ID Journal	Application
	Cheng-Hsiang Kuo	36401329 J Biomed S	
	Shaojie Liu	35317721 Mol Med	WB,IHC,IF,FC
	Fa Yang	32591411 Cancer Res	
	Storage:		

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunohistochemical analysis of paraffinembedded human lung cancer using 18160-1-AP (TEM1 antibody) at dilution of 1:500 (under 10x lens). Immunohistochemical analysis of paraffinembedded human lung cancer using 18160-1-AP (TEM1 antibody) at dilution of 1:500 (under 40x lens).

HUVEC cells were subjected to SDS PAGE followed by western blot with 18160-1-AP (TEM1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.