### For Research Use Only

# MMP28 Polyclonal antibody

Catalog Number: 18237-1-AP

Featured Product

10 Publications



**Basic Information** 

**Applications** 

Catalog Number:

18237-1-AP

Concentration:

300 ug/ml

Source:

Rabbit

Q9H239

Isotype:

GenBank Accession Number:

BC002631

GeneID (NCBI):

79148

UNIPROT ID:

Q9H239

Full Name:

matrix metallopeptidase 28

Immunogen Catalog Number: Calculated MW:

AG12980 59 kDa

Observed MW: 48 kDa

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity: human, mouse, rat

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: A549 cells, human colon tissue, mouse heart

**Purification Method:** 

WB 1:500-1:3000 IHC 1:20-1:200

IF/ICC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

tissue

IHC: human kidney tissue, human ovary tissue, human

skin cancer tissue, human testis tissue

IF/ICC: A549 cells,

## **Background Information**

MMP28(Epilysin)can degrade casein and play a role in tissues homeostasis and repair. The only specific human cell type recognized to express epilysin is the basal keratinocyte in the skin, where epilysin expression is upregulated during wound repair(PMID:16940349). Western blot showed this antibody recognize bands at 62 and 58 kDa as well as breakdown products at 50, 48, and 46 kDa(PMID:15953044). This antibody is specific to MMP28.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Lu-Yao Wang	30303742	FASEB J	WB
Yang Li	30913394	FASEB J	WB
Kyoung-In Cho	28100513	Dis Model Mech	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




A549 cells were subjected to SDS PAGE followed by western blot with 18237-1-AP (MMP28 antibody) at dilution of 1:500 incubated at room temperature for 15 hours.



Immunohistochemical analysis of paraffinembedded human kidney using 18237-1-AP (MMP28 antibody) at dilution of 1:100 (under 10x lens)



Immunohistochemical analysis of paraffinembedded human kidney using 18237-1-AP (MMP28 antibody) at dilution of 1:100 (under 40x lans)



Immunofluorescent analysis of (-20°C Methanol) fixed A549 cells using MMP28 antibody (18237-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).